Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"4680645".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 11:03
L2	2	"5278671".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 11:04
S1	5455017	((computer to plate) or ctp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:21
S2	6344	(print\$4 near2 master\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:32
S3	5	S2 and ((scalar near2 value) same pixel\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/06/15 11:15
S4	9362034	S2 and (scalar near2 value) s	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/06/15 11:15
S5	7	S2 and (scalar near2 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:32
S6	4129	S1 and (scalar near2 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/15 11:22
S7		S6 and halftone	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:33

S8	79	S7 and pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 12:21
S9	74	S8 and ("k" or black)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:59
S10	71	S9 and (color or colour)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/06/18 10:32
S11	36	S10 and intensity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:33
S12	3	S11 and (print\$4 near2 master\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/06/18 12:46
S13	5052	358/1.9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:54
S14	46	S13 and (print\$4 near2 master\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:55
S15	1	S14 and (scalar near2 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:55
S16	31	S13 and (scalar near2 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:55
S17	31	S16 and (color or colour)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:32

9/28/07 11:04:42 AM

S18	15	S17 and intensity	US-PGPUB;	OR	ON	2007/06/18 10:56
310	13	317 and intensity	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR		2007/00/18 10.30
S19	7	S18 and halftone	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ,	ON	2007/06/18 10:56
S20	7	S19 and pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:06
S21	210378	"358"/("1.9" or "3.03" or "3.05" or "3. 06" or "3.3" or "534" or "536").ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:12
S22	427	S21 and (print\$4 near2 master\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:55
S23	1	S22 and (scalar near2 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:55
S24	463	S21 and (scalar near2 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:48
S25	195	S24 and intensity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:56
S26	23	S25 and halftone	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:06
S27	22	S26 and pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:56

S28	22	S27 and ("k" or black)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:06
S29	328	((quantiz\$6 or quantis\$6) same (scalar near2 value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:06
S30	241	S29 and ("k" or black)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:32
S31	13	S30 and halftone	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:06
S32	13	S31 and pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:45
S33	15118	(print\$4 near2 (master\$1 or template\$1 or model\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:47
S34	32	S33 and (scalar near2 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:48
S35	819	S33 and (precursor or (pre near2 cursor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:49
S36	220	S35 and ((non or none or blank) near3 ink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:06
S37	15118	(print\$4 near2 (master\$1 or template\$1 or model\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:10

			_			
S38	819	S37 and (precursor or (pre near2 cursor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:11
S39	220	S38 and ((non or none or blank) near3 ink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:07
S40	236	S38 and ((non or none or blank or no) near3 ink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/06/18 13:11
S41	59	S40 and inkjet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:11
S42	108551	(print\$4 near2 (master\$1 or template\$1 or model\$1 or plate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:21
S43	6207	S42 and (precursor or (pre near2 cursor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:22
S44	374	S43 and inkjet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:22
S45	140	S44 and ((non or none or blank or no) near3 ink)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:11
S46	44	S45 and ("358"/("1.9" or "3.03" or "3. 05" or "3.06" or "3.3" or "534" or "536").ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:22
S47	5455967	((computer to plate) or ctp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:28

S48	113814	S42 adn (print\$4 near2 (master\$1 or template\$1 or model\$1 or plate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:21
S49	108551	S42 and (print\$4 near2 (master\$1 or template\$1 or model\$1 or plate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:28
S50	6207	S49 and (precursor or (pre near2 cursor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:26
S51	374	S50 and inkjet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:26
S52	57	S51 and ("358"/("1.9" or "3.03" or "3. 05" or "3.06" or "3.3" or "534" or "536").ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:26
S53	104359	S47 and (print\$4 near2 (master\$1 or template\$1 or model\$1 or plate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:25
S54	6125	S53 and (precursor or (pre near2 cursor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/06/18 13:28
S55	371	S54 and inkjet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:29
S56	57	S55 and ("358"/("1.9" or "3.03" or "3. 05" or "3.06" or "3.3" or "534" or "536").ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:29
S57	9199	(("computer to plate") or ctp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON a	2007/06/18 13:28

			-			
S58	1540	S57 and (print\$4 near2 (master\$1 or template\$1 or model\$1 or plate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:28
S59	502	S58 and (precursor or (pre near2 cursor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:34
S60	41	S59 and inkjet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:29
S61	5	S60 and ("358"/("1.9" or "3.03" or "3. 05" or "3.06" or "3.3" or "534" or "536").ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:35
S62	44	S57 and ("k" or black) near4 (print\$4 near2 (master\$1 or template\$1 or model\$1 or plate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:33
S63	44	S57 and ("k" or black or achromat\$2) near4 (print\$4 near2 (master\$1 or template\$1 or model\$1 or plate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:39
S64	14	S63 and (precursor or (pre near2 cursor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:34
S65	0	S64 and ("358"/("1.9" or "3.03" or "3. 05" or "3.06" or "3.3" or "534" or "536").ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:36
S66	5	S63 and ("358"/("1.9" or "3.03" or "3. 05" or "3.06" or "3.3" or "534" or "536").ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:36
S67	. 8	S57 and (("k" or black or achromat\$2) near4 (print\$4 near2 (master\$1 or template\$1 or model\$1 or plate)) same (precursor or (pre near2 cursor)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ΟN	2007/06/18 13:54

				····		
S68	8	S57 and (("k" or black or achromat\$2) near4 (print\$4 near2 (master\$1 or template\$1 or model\$1 or plate)) with (precursor or (pre near2 cursor)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:55
S69	89188	print\$3 adj3 (plate or master or precursor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 12:21
S70	126345	ink\$1jet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 12:21
S71	17959	grainy or graininess or ((vary\$3 or varie\$1 or various) near6 luminance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON _.	2007/06/21 12:22
S72	3885	S69 and S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 12:22
S73	71	S72 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/06/21 12:22

9/28/07 11:04:42 AM
C:\Documents and Settings\mburleson\My Documents\EAST\Workspaces\10667250-Computer to Plate System-Minnebo et al.wsp